

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
坂田 清美	衛生学公衆衛生学講座	教授	医学博士	公衆衛生学・健康科学	<p>①文部科学研究費補助金「新しいバイオカーマーのアテローム血栓症」2011年</p> <p>②Higashiguchi, M., Onoda, T., *Turin, T. C., Sakata, K., NIPPON DATA 80/90 Research Group: Calcium intake and associated factors in a general Japanese population: baseline data of NIPPON DATA 80/90 and the National Nutrition Survey. <i>J Epidemiol</i> 20 Suppl 3:S549-56 (2010).</p> <p>③ *Guo, Z., *Miura, K., *Turin, T. C., *Hozawa, A., *Okuda, N., *Okamura, T., *Saitoh, S., Sakata, K., *Nakagawa, H., *Okayama, A., *Yoshita, K., *Kadowaki, T Choudhury, S., R., *Nakamura, Y., *Rodrigues, B. L., *Curb, J. D., *Elliot, P., *Stamler, J., *Ueshima, H.: Relationship of the polyunsaturated to saturated fatty acid ratio to cardiovascular risk factors and metabolic syndrome in Japanese: the INTERLIPID Study. <i>J Atheroscler thromb.</i> 17:777-784 (2010).</p> <p>④ *折茂肇, 八重樫由美, 小野田敏行, *福島靖正, *細井孝之, 坂田清美: 第5回大腿骨近位部骨折全国頻度調査成績—2007年における新発生患者数の推定と20年間の推移—. <i>日本医事新報.</i> 4492:73-77 (2010).</p> <p>⑤坂田清美: 地域保健医療活動: 公衆衛生マニュアル (柳川洋, 中村好一: 編) 南山堂. 17-21 (2010).</p>
淺沼 一好	衛生学公衆衛生学講座	特任教授	医学博士	衛生学	<p>①Itai, K., Onoda, T., *Nohara, M., Ohsawa, M., Tanno, K., Sato, T., *Kuribayashi, T., *Okayama, A.: Serum ionic fluoride concentrations are related to renal function and menopause status but not to age in a Japanese general population. <i>Clin Chim Acta.</i> 411:263-6 (2010).</p> <p>②*Urushidate, S., *Matsuzaka, M., *Okubo, N., *Iwasaki, H., *Hasebe, T., *Tsuya, R., *Iwane, K., *Inoue, R., *Yamai, K., *Danjo, K., *Takahashi, I., *Umeda, T., *Ando, S., Itai, K., *Nakaji, S.: Association between concentration of trace elements in serum and bronchial asthma among Japanese general population. <i>J Trace Elem Med Biol.</i> 24:236-42 (2010).</p> <p>③ *Chandrajith, R., *Nanayakkara, S., Itai, K., *Aturaliya, T. N., *Dissanayake, C. B., *Abeysekera, T., *Harada, K., *Watanabe, T., *Koizumi, A.: Chronic kidney diseases of uncertain etiology (CKDu) in Sri Lanka: geographic distribution and environmental implications. <i>Environ Geochem Health.</i> 24:236-42 (2010).</p> <p>④ *Yokokawa, H., *Yasumura, S., Tanno, K., Ohsawa, M., Onoda, T., Itai, K., Sakata, K., *Kawamura, K., Tanaka, F., Yoshida, Y., Nakamura, M., Terayama, Y., Ogawa, A., *Okayama, A.: Serum low-density lipoprotein to high-density lipoprotein ratio as a predictor of future acute myocardial infarction among men in a 2.7-year cohort study of a Japanese northern rural population. <i>J Atheroscler Thromb.</i> 18:89-98 (2011)</p> <p>⑤Tanaka, F., Makita, S., Onoda, T., Tanno, K., Ohsawa, M., Itai, K., Sakata, K., Onodera, M., Koeda, Y., *Kawarura, K., Terayama, Y., Yoshida, Y., Ogawa, A., *Okayama, A., Nakamura, M., Iwate-KENCO Study Group: Prehypertension subtype with elevated C-reactive protein: risk of ischemic stroke in a general Japanese population. <i>Am J Hypertens.</i> 23:1108-13 (2010).</p>

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
大澤 正樹	衛生学公衆衛生学講座	講師	医学博士	公衆衛生学・健康科学	<p>①Ohsawa, M., *Kato, K., Itai, K., Tanno, K., Fujishima, Y., *Konda, R., *Okayama, A., *Abe, K., Suzuki, K., Nakamura, M., Onoda, T., *Kawamura, K., Sakata, K., *Akiba, T., Fujioka, T.: Standardized prevalence ratios for chronic hepatitis C virus infection among adult Japanese hemodialysis patients. <i>J Epidemiol.</i> 20:30-9 (2010).</p> <p>② *Yokokawa, H., *Yasumura, S., Tanno, K., Ohsawa, M., Onoda, T., Itai, K., Sakata, K., *Kawamura, K., Tanaka, F., Yoshida, Y., Nakamura, M., Terayama, Y., Ogawa, A., *Okayama, A.: Serum low-density lipoprotein to high-density lipoprotein ratio as a predictor of future acute myocardial infarction among men in a 2.7-year cohort study of a Japanese northern rural population. <i>J Atheroscler Thromb.</i> 18:89-98 (2011)</p> <p>③Tanno, K., *Okamura, T., Ohsawa, M., Onoda, T., Itai, K., Sakata, K., Nakamura, M., Ogawa, A., *Kawamura, K., *Okayama, A.: Comparison of low-density lipoprotein cholesterol concentrations measured by a direct homogeneous assay and by the Friedewald formula in a large community population. <i>Clin Chim Acta.</i> 411:1774-80 (2010).</p> <p>④Tanaka, F., Makita, S., Onoda, T., Tanno, K., Ohsawa, M., Itai, K., Sakata, K., Onodera, M., Koeda, Y., *Kawarura, K., Terayama, Y., Yoshida, Y., Ogawa, A., *Okayama, A., Nakamura, M., Iwate-KENCO Study Group: Prehypertension subtype with elevated C-reactive protein: risk of ischemic stroke in a general Japanese population. <i>Am J Hypertens.</i> 23:1108-13 (2010).</p> <p>⑤ Sakuma, M., Nakamura, M., Tanaka, F., Onoda, T., Itai, K., Tanno, K., Ohsawa, M., Sakata, K., Yoshida, Y., *Kawamura, K., Makita, S., *Okayama, A.: Plasma B-type natriuretic peptide level and cardiovascular events in chronic kidney disease in a community-based population. <i>Circ J.</i> 74:792-7 (2010).</p>
小野田 敏行	衛生学公衆衛生学講座	講師	医学博士	公衆衛生学・健康科学	<p>① *Yokokawa, H., *Yasumura, S., Tanno, K., Ohsawa, M., Onoda, T., Itai, K., Sakata, K., *Kawamura, K., Tanaka, F., Yoshida, Y., Nakamura, M., Terayama, Y., Ogawa, A., *Okayama, A.: Serum low-density lipoprotein to high-density lipoprotein ratio as a predictor of future acute myocardial infarction among men in a 2.7-year cohort study of a Japanese northern rural population. <i>J Atheroscler Thromb.</i> 18:89-98 (2011)</p> <p>② Tanno, K., *Okamura, T., Ohsawa, M., Onoda, T., Itai, K., Sakata, K., Nakamura, M., Ogawa, A., *Kawamura, K., *Okayama, A.: Comparison of low-density lipoprotein cholesterol concentrations measured by a direct homogeneous assay and by the Friedewald formula in a large community population. <i>Clin Chim Acta.</i> 411:1774-80 (2010).</p> <p>③ Tanaka, F., Makita, S., Onoda, T., Tanno, K., Ohsawa, M., Itai, K., Sakata, K., Onodera, M., Koeda, Y., *Kawarura, K., Terayama, Y., Yoshida, Y., Ogawa, A., *Okayama, A., Nakamura, M., Iwate-KENCO Study Group: Prehypertension subtype with elevated C-reactive protein: risk of ischemic stroke in a general Japanese population. <i>Am J Hypertens.</i> 23:1108-13 (2010).</p> <p>④Sakuma, M., Nakamura, M., Tanaka, F., Onoda, T., Itai, K., Tanno, K., Ohsawa, M., Sakata, K., Yoshida, Y., *Kawamura, K., Makita, S., *Okayama, A.: Plasma B-type natriuretic peptide level and cardiovascular events in chronic kidney disease in a community-based population. <i>Circ J.</i> 74:792-7 (2010).</p> <p>⑤ Itai, K., Onoda, T., *Nohara, M., Ohsawa, M., Tanno, K., Sato, T., *Kuribayashi, T., *Okayama, A.: Serum ionic fluoride concentrations are related to renal function and menopause status but not to age in a Japanese general population. <i>Clin Chim Acta.</i> 411:263-6 (2010).</p>

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
丹野 高三	衛生学公衆衛生学講座	特任講師	医学博士	公衆衛生学・健康科学	<p>①Tanno, K., *Okamura, T., Ohsawa, M., Onoda, T., Itai, K., Sakata, K., Nakamura, M., Ogawa, A., *Kawamura, K., *Okayama, A.: Comparison of low-density lipoprotein cholesterol concentrations measured by a direct homogeneous assay and by the Friedewald formula in a large community population. <i>Clin Chim Acta.</i> 411:1774-80 (2010).</p> <p>②Tanaka, F., Makita, S., Onoda, T., Tanno, K., Ohsawa, M., Itai, K., Sakata, K., Onodera, M., Koeda, Y., *Kawarura, K., Terayama, Y., Yoshida, Y., Ogawa, A., *Okayama, A., Nakamura, M., Iwate-KENCO Study Group: Prehypertension subtype with elevated C-reactive protein: risk of ischemic stroke in a general Japanese population. <i>Am J Hypertens.</i> 23:1108-13 (2010).</p> <p>③Sakuma, M., Nakamura, M., Tanaka, F., Onoda, T., Itai, K., Tanno, K., Ohsawa, M., Sakata, K., Yoshida, Y., *Kawamura, K., Makita, S., *Okayama, A.: Plasma B-type natriuretic peptide level and cardiovascular events in chronic kidney disease in a community-based population. <i>Circ J.</i> 74:792-7 (2010).</p> <p>④Itai, K., Onoda, T., *Nohara, M., Ohsawa, M., Tanno, K., Sato, T., *Kuribayashi, T., *Okayama, A.: Serum ionic fluoride concentrations are related to renal function and menopause status but not to age in a Japanese general population. <i>Clin Chim Acta.</i> 411:263-6 (2010).</p> <p>⑤Ohsawa, M., *Kato, K., Itai, K., Tanno, K., Fujishima, Y., *Konda, R., *Okayama, A., *Abe, K., Suzuki, K., Nakamura, M., Onoda, T., *Kawamura, K., Sakata, K., *Akiba, T., Fujioka, T.: Standardized prevalence ratios for chronic hepatitis C virus infection among adult Japanese hemodialysis patients. <i>J Epidemiol.</i> 20:30-9 (2010).</p>
八重樫 由美	衛生学公衆衛生学講座	助教	医学修士	公衆衛生学・健康科学	<p>①坂田清美, 八重樫由美: 岩手県における小中高校生の肥満の現状分析. <i>岩手公衆衛生学会誌.</i> 21:3-29 (2010).</p> <p>②文部科学研究費補助金「肥満傾向児出現率の地域差要因に関する横断研究」2011年</p> <p>③*折茂肇, 八重樫由美, 小野田敏行, *福島靖正, *細井孝之, 坂田清美: 第5回大腿骨近位部骨折全国頻度調査成績—2007年における新発生患者数の推定と20年間の推移—. <i>日本医事新報.</i> 4492:73-77 (2010).</p> <p>④丹野高三, 栗林徹, 大澤正樹, 小野田敏行, 板井一好, 八重樫由美, 坂田清美, 中村元行, 吉田雄樹, 小川彰, 寺山靖夫, *川村和子, *岡山明: 高齢者のbody mass indexと総死亡、循環器疾患罹患との関連 岩手県北地域コホート研究の2.7年の追跡調査より. <i>日本循環器病予防学会誌.</i> 45:9-21 (2010).</p>