

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
小笠原 邦昭	脳神経外科学講座	教授	博士（医学）	脳神経外科学	<p>①Akamatsu Y, Kubo Y, Chida K, Matsumoto Y, Ogasawara K. Intraorbital Arteriovenous Fistula Presenting with Impaired Extraocular Movement After a Provocation Test at the Third Segment of the Ophthalmic Artery. World Neurosurg. 2019 Jul 26;131:1-5.</p> <p>② Akamatsu Y, Kashimura H, Fujiwara S, Kubo Y, Ogasawara K. Simple assessment of the localization of posterior communicating artery aneurysms to the anterior petroclinoid ligament. J Clin Neurosci. 2019 Aug;66:38-40</p> <p>③ Miyoshi K, Chida K, Kobayashi M, Kubo Y, Yoshida K, Terasaki K, Ogasawara K. Two-Year Clinical, Cerebral Hemodynamic, and Cognitive Outcomes of Adult Patients Undergoing Medication Alone for Symptomatically Ischemic Moyamoya Disease Without Cerebral Misery Perfusion: A Prospective Cohort Study. Neurosurgery. 2019 Jun 1;84(6):1233-1241.</p> <p>④Hayakawa M, Sugiu K, Yoshimura S, Hishikawa T, Yamagami H, Fukuda-Doi M, Sakai N, Iihara K, Ogasawara K, Oishi H, Ito Y, Matsumaru Y. Effectiveness of staged angioplasty for avoidance of cerebral hyperperfusion syndrome after carotid revascularization. J Neurosurg. in press.</p> <p>⑤ Ando S, Tsutsui S, Miyoshi K, Sato S, Yanagihara W, Setta K, Chiba T, Fujiwara S, Kobayashi M, Yoshida K, Kubo Y, Ogasawara K. Cilostazol may improve cognition better than clopidogrel in non-surgical adult patients with ischemic moyamoya disease: subanalysis of a prospective cohort. Neurol Res. 2019 May;41(5):480-487.</p> <p>⑥ Shimada Y, Kobayashi M, Yoshida K, Terasaki K, Fujiwara S, Kubo Y, Beppu T, Ogasawara K. Reduced Hypoxic Tissue and Cognitive Improvement after Revascularization Surgery for Chronic Cerebral Ischemia. Cerebrovasc Dis. 2019;47(1-2):57-64.</p>

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
別府 高明	脳神経外科学講座	教授	博士（医学）	脳神経外科学	<p>①Beppu T, Sato Y, Yamada , Terasaki K, Sasaki T, Sugai T, Ogasawara K. Impacts on histological features and 11C-methyl-L-methionine uptake after “one-shot” administration with bevacizumab before surgery in newly diagnosed glioblastoma. <i>Transl Oncol</i> 12: 1480-87, 2019</p> <p>②Beppu T, Sato Y, Sasaki T, Terasaki K, Yamashita F, Sasaki M, Ogasawara K. 1 Comparisons between positron emission tomography with 11C-methyl-L-methionine and arterial spin labeling perfusion imaging in recurrent glioblastomas treated with bevacizumab. <i>Clin Nucl Med</i> 44(3):186-193, 2019.</p> <p>③Beppu T, Sasaki T, Sato Y, Terasaki K. High-uptake areas on 18F-FRP170 PET image necessarily include proliferating areas in glioblastoma: A superimposed image study combining 18F-FRP170 PET with 11C-mehionine PET. <i>Adv Mol Imaging</i> 7: 1-11, 2017; DOI: 10.4236/ami.2017.71001</p> <p>④Beppu T, et al: MRI and 11C-methyl-L-methionine PET differentiate bevacizumab true-responders after initiating therapy for recurrent glioblastoma. <i>Clin Nucl Med</i> 41: 852-857, 2016.</p> <p>⑤文部科学省科学研究費補助金「課題名：一酸化炭素中毒における連鎖的大脳白質障害の病態解明と最適予測因子の検索」2017-2019年</p>
久保 慶高	脳神経外科学講座	准教授	博士（医学）	脳神経外科学	<p>①Kubo Y, Koji T, Kodo R, Yoshida K, Ogasawara K. Intraoperative monitoring of cerebral cortical blood flow and middle cerebral artery pressure as a substitute for preoperative balloon test occlusion in patients with internal carotid artery aneurysms. <i>Acta Neurochir (Wien)</i> 160:1129-1137, 2018</p> <p>②Kubo Y, Koji T, Kashimura H, Otawara Y, Ogawa A, Ogasawara K. Female sex as a risk factor for the growth of asymptomatic unruptured cerebral saccular aneurysms in elderly patients. <i>J Neurosurg</i> 27: 1-6, 2014</p> <p>③Kubo Y, Koji T, Kashimura H, Otawara Y, Ogawa A, Ogasawara K. Appetite loss may be induced by lower serum ghrelin and higher serum leptin concentrations in subarachnoid hemorrhage patients. <i>Nutr Neurosci</i>. 17: 230-233, 2014</p> <p>④Kubo Y, Koji T, Yoshida J, Ogawa A, Ogasawara K. Predicting neurological deficit severity due to subarachnoid haemorrhage: soluble CD40 ligand and platelet-derived growth factor-BB. <i>Crit Care Resusc</i>. 18: 242-246, 2016</p> <p>⑤文部科学省科学研究費補助金「課題名：くも膜下出血後の脳血管攣縮の危険因子である炎症性細胞集簇と血小板増加の病態的解明」2011-2013年</p>

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
和田 司	脳神経外科学講座	特任准教授	博士（医学）	脳神経外科学	<p>①Sato Y., Wada T., et al.: Growth Hormone Producing Pituitary Adenoma Regrowing as Pituitary Adenoma with Neuronal Choristoma 14 Years after Tumor Removal. World Neurosurg: 2013</p> <p>②鈴木太郎、和田司、他3名：頭蓋内多発性腫瘍を呈したIgG4関連硬化性病変の一例。脳神経外科ジャーナル：2013</p> <p>③文部科学省科学研究費補助金「課題名：脳神経外科手術中の無侵襲型眼球運動モニタリング装置の開発及び臨床応用に関する研究」2012年</p> <p>④ Fujiwara S, Sasaki M, Wada T, Kudo K, Hirooka R, Ishigaki D, Nishikawa Y, Ono A, Yamaguchi M, Ogasawara K. High-resolution diffusion tensor imaging for the detection of diffusion abnormalities in the trigeminal nerves of patients with trigeminal neuralgia caused by neurovascular compression. J Neuroimaging 21(2), e102-8, 2011</p> <p>⑤Kurose A, Arai H, Beppu T, Wada T, Sato Y, Kubo Y, Jin R, Ogawa A, Sawai T. Ganglioneurocytoma: Distinctive variant of central neurocytoma. Pathology International 57(12), 799-803, 2007</p>
吉田 研二	脳神経外科学講座	講師	博士（医学）	脳神経外科学	<p>①Yoshida K, Ogasawara K, Kobayashi M, Tsuboi J, Okabayashi H, Ogawa A. Scar formation in the carotid sheath identified during carotid endarterectomy in patients with previous cardiac surgery: significance of history of traoperative Swan-Ganz catheter insertion. J Neurosurg. 2010 Oct;113(4):885-9.</p> <p>②Yoshida K, Nishida W, Hayashi K, Ohkawa Y, Ogawa A, Aoki J, Arai H, Sobue K. Vascular remodeling induced by naturally occurring unsaturated lysophosphatidic acid in vivo. Circulation. 2003 Oct 7;108(14):1746-52.</p> <p>③Hayashi K, Takahashi M, Nishida W, Yoshida K, Ohkawa Y, Kitabatake A, Aoki J, Arai H, Sobue K. Phenotypic modulation of vascular smooth muscle cells induced by unsaturated lysophosphatidic acids. Circ Res. 2001 Aug 3;89(3):251-8.</p> <p>④文部科学省科学研究費補助金 基盤研究（C）「課題名：一過性脳虚血及び再灌流時のレドックス解析に基づいた新たな脳循環代謝障害指標の確立」2012-2014年</p> <p>⑤文部科学省科学研究費補助金 基盤研究（C）「課題名：脳虚血再灌流時の内頸静脈血中血管ホルモン動態解析による脳血流自動調節機構の解明」2018-2020年</p>

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
西川 泰正	脳神経外科学講座	助教	博士（医学）	脳神経外科学	<p>①Nishikawa Y, Kobayashi K, Oshima H, Fukaya C, Yamamoto T, Katayama Y, Ogawa A, Ogasawara K. :Direct relief of levodopa-induced dyskinesia by stimulation in the area above the subthalamic nucleus in a patient with Parkinson's disease--case report. /Neurol Med Chir. 50(3):257-9(2010)</p> <p>②Nishikawa Y, Doi M, Koji T, Watanabe M, Kimura S, Kawasaki S, Ogawa A, Sasaki K. :The role of rho and rho-dependent kinase in serotonin-induced contraction observed in bovine middle cerebral artery. /Tohoku J Exp Med. 201(4):239-49(2003)</p> <p>③Nishikawa Y, Suzuki M, Kuwata N, Ogawa A. :Microvascular decompression for treating glossopharyngeal neuralgia complicated by sick sinus syndrome. /Acta Neurochir. 142(3):351-2(2000)</p> <p>④西川 泰正、小笠原 邦昭 各種神経障害性痛の現状と可能性 1) 脳卒中後痛に対するニューロモデュレーション治療の現状 /ペインクリニック 33(7) 930-938 (2012)</p> <p>⑤西川 泰正 難治性疼痛に対する脊髄刺激療法 /脳神経外科速報 27:240-246 (2017)</p>
菅原 淳	脳神経外科学講座	助教	博士（医学）	脳神経外科学	<p>①Sugawara A, Isu T, Kim K, Matsumoto R, Isobe M, Ogasawara K: Syringomyelia associated with Chiari I Malformation treated with foramen magnum decompression and duraplasty using a polyglycolic acid patch and fibrin Glue -A case report -J Nippon Med Sch 77: 2010(in press)</p> <p>②Kuroda H, Sugawara A, Ogasawara K, Ogawa A: Idiopathic spinal cord herniation surgery causing Brown-Sequard syndrome: A case report. Jpn J Neurosurg 19: 557-561, 2010</p> <p>③Sugawara A, Isu T, Kim K, Morimoto D, Isobe M, Matsumoto R, Ogasawara K, Ogawa A: Mid-term results of posterior decompression for spinal stenosis due to degenerative lumbar spondylolisthesis. Spinal Surgery 23: 225-230, 2009</p> <p>④Sugawara A, Kim K, Isobe M, Matsumoto R, Isu T: Surgical treatment of spinal lipoma without spina bifida at lumbar region -Three case reports-. Neurol Med Chir [Tokyo] 49:616-618, 2009</p> <p>⑤Kim K, Isu T, Sugawara A, Morimoto D, Matsumoto R, Isobe M, Mishina M, Kobayashi S, Teramoto A: Radiological study of the sandwich method in cervical anterior fusion using autologous vertebral bone grafts. J Clin Neurosci 17: 450-454, 2009</p>

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
小林 正和	脳神経外科学講座	助教	博士（医学）	脳神経外科学	<p>①Kobayashi M, Ogasawara K, Kojima D, et al Impact of external carotid artery occlusion at declamping of the external and common carotid arteries during carotid endarterectomy on development of new postoperative ischemic cerebral lesions. J. vasc surg. S0741-5214 (18) 31066-8 (2018).</p> <p>②Kobayashi M, Ogasawara K, Yoshida K, et al Intentional hypertension during dissection of carotid arteries in endarterectomy prevents postoperative development of new cerebral ischemic lesions caused by intraoperative microemboli. Neurosurgery 69 301-7 (2011)</p> <p>③2004年-2005年文部科学省科学研究費補助金若手B PETを用いた慢性脳虚血における経時的acetazolamide反応性に関する研究</p> <p>④2012年-2014年文部科学省科学研究費補助金基盤C 脳主幹動脈閉塞性病変による貧困灌流の新たな非侵襲的画像診断法の開発と臨床応用</p> <p>⑤2016年-2018年文部科学省科学研究費補助金基盤C 超高磁場MRIによる数値流体解析とブランク画像を用いた頸動脈術中塞栓発生の解明</p>
幸治 孝裕	脳神経外科学講座	助教	博士（医学）	脳神経外科学	<p>①幸治孝裕、小笠原邦昭. : 未破裂脳動脈瘤 / 神経最新の治療2018-2020</p> <p>②幸治孝裕、久保慶高、小笠原邦昭. : subtemporal approach / プライム脳神経外科1 脳動脈瘤. 129-133 (2017) 幸治孝裕.</p> <p>③幸治孝裕、小笠原邦昭. : 側頭開頭術の基本とバリエーション / 新NS NOW 3 基本開頭術と頭蓋底開頭術. 72-83 (2015)</p> <p>④遅発性脳血管攣縮の全身管理 / 脳神経外科診療プラクティス1 脳血管障害の急性期マネジメント 266-269 (2014)</p> <p>⑤Kubo Y, Koji T, Kashimura H, Otawara Y, Ogawa A, Ogasawara K. Adrenomedullin concentration in the cerebrospinal fluid is related to appetite loss and delayed ischemic neurological deficits after subarachnoid hemorrhage. Neurol Res, May 14 (2013)</p>

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
藤原 俊朗	脳神経外科学講座	助教	博士（ソフトウェア情報学） 博士（医学）	医用工学、脳神経科学	<p>①Fujiwara S, Yoshioka Y, Matsuda T, Nishimoto H, Ogawa A, Ogasawara K, Beppu T. Relation between brain temperature and white matter damage in subacute carbon monoxide poisoning. Sci Rep 2016; 6: 36523.</p> <p>②Fujiwara S, Yoshioka Y, Matsuda T, Nishimoto H, Murakami T, Ogawa A, Ogasawara K, Beppu T. Brain temperature measured by (1)H-magnetic resonance spectroscopy in acute and subacute carbon monoxide poisoning. Neuroradiology 2016; 58: 27-32.</p> <p>③Fujiwara S, Beppu T, Ogasawara K, Yoshioka Y. Relation between brain temperature and cerebral perfusion and metabolism in human brain. ISMRM 25th Annual Meeting and Exhibition 2017, Honolulu, April 22-27, 2017.</p> <p>④文部科学省科学研究費補助金 基盤研究 (C)「課題名：大脳水拡散現象を基軸とした新たな完全無侵襲病態診断法の開発」2019年 -2021年（代表）</p> <p>⑤文部科学省科学研究費補助金 基盤研究 (B)「高磁場MRIを用いた超高感度リアルタイムMRSプローブ」2018年 -2020年（分担）</p>
千田 光平	脳神経外科学講座	助教	博士（医学）	脳神経科学	<p>①Chida K., Ogasawara K., Aso K., Kuroda H., Saito H., Kobayashi M., Yoshida K., Ogawa A. Postoperative resolution of 123I-iomazenil uptake and metabolic rate of oxygen in the cerebral cortex accompanied by postoperative improvement of cognition in a patient undergoing extracranial-intracranial arterial bypass surgery for internal carotid artery occlusion: a case report. Clin Nucl Med 36:361-2(2011)</p> <p>②Chida K., Ogasawara K., Kuroda H., Aso K., Kobayashi M., Fujiwara S., Yoshida K., Terasaki K., Ogawa A. :Central benzodiazepine receptor binding potential and CBF images on SPECT correlate with oxygen extraction fraction images on PET in the cerebral cortex with unilateral major cerebral artery occlusive disease. J Nucl Med 52:511-8(2011)</p> <p>③ Chida K., Ogasawara K., Aso K., Suga Y., Kobayashi M., Yoshida K., Terasaki K., Tsushina E., Ogawa A. Postcarotid endarterectomy improvement in cognition is associated with resolution of crossed cerebellar hypoperfusion and increase in 123I-iomazenil uptake in the cerebral cortex: a SPECT study. Cerebrovasc Dis 29:343-51(2010)</p> <p>④Chida K., Ogasawara K., Suga Y., Saito H., Kobayashi M., Yoshida K., Otawara Y., Ogawa A. Postoperative cortical neural loss associated with cerebral hyperperfusion and cognitive impairment after carotid endarterectomy: 123I-iomazenil SPECT study. Stroke 40:448-53(2009)</p> <p>⑤文部科学省科学研究費補助金 研究スタート支援「課題名：7T超高磁場MRIを用いた新たな無侵襲脳循環代謝評価法の開発とその応用」2015-2016年</p> <p>⑥文部科学省科学研究費補助金 基盤研究 (C)「課題名：脳動脈血行再建術後過灌流による認知機能障害の分子生物学的メカニズムの解明」2019-2021年</p>

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
佐藤 雄一	脳神経外科学講座	助教	博士（医学）	脳神経科学	<p>①Sato Y, Wada T, Nishikawa Y, Yoshida K, Kurose A, Ogawa A, Ogasawara K: Growth hormone-producing pituitary adenoma regrowing as pituitary adenoma with neuronal choristoma 14 years after tumor removal. World Neurosurg, 80, 436.e11-436.e13, 2013.</p> <p>②佐藤雄一, 吉田研二, 小林正和, 黒田博紀, 鈴木太郎, 小川彰, 小笠原邦昭: 術中モニタリングと血圧コントロール下に観血的に根治せしめた症候性頸部内頸動脈起始部血栓化動脈瘤の一例. 脳卒中の外科, 40: 267-272. 2012.</p> <p>③Yuichi Sato, Akira Kurose, Akira Ogawa, Kuniaki Ogasawara, Frank Traganos, Zbigniew Darzynkiewicz and Takashi Sawai: Diversity of DNA damage response of astrocytes and glioblastoma cell lines with various p53 status to treatment with etoposide and temozolomide. Cancer Biology and Therapy, 8(5): 452-457, 2009.</p> <p>④Yuichi SATO, Shunsuke KAKINO, Kuniaki OGASAWARA, Yoshitaka KUBO, Hiroki KURODA, and Akira OGAWA : Rupture of a Concomitant Unruptured Cerebral Aneurysm Within 2 Weeks of Surgical Repair of a Ruptured Cerebral Aneurysm -Case Report-. Neurologia medico-chirurgica, 48(11): 512-514, 2008.</p> <p>⑤文部科学省科学研究費補助金 若手研究(B)「課題名: 膠芽腫におけるPETを用いた中間低酸素領域の同定による抗がん剤耐性に関する研」2016年-2019年</p>
赤松 洋祐	脳神経外科学講座	助教	博士（医学）	脳神経科学	<p>① Akamatsu Y, Pagan VA, Hanafy KA. : The role of TLR4 and HO-1 in neuroinflammation after subarachnoid hemorrhage. / J Neurosci Res. [Epub ahead of print] Review. (2019)</p> <p>②Akamatsu Y, Kubo Y, Chida K, Matsumoto Y, Ogasawara K. An intraorbital arteriovenous fistula presenting with impaired extraocular movement following a provocation test at the third segment of the ophthalmic artery. World Neurosurg. [Epub ahead of print] (2019)</p> <p>③ Akamatsu Y, Kashimura H, Suzuki T, Aso K, Oshida S, Fujiwara S, Kubo Y, Ogasawara K. Impact of the intracranial course of internal carotid artery on optimal surgical approach for posterior communicating artery aneurysms. World Neurosurg. [Epub ahead of print] (2019)</p> <p>④ Akamatsu Y, Kashimura H, Fujiwara S, Kubo Y, Ogasawara K. Simple assessment of the localization of posterior communicating artery aneurysms to the anterior petroclinoid ligament. :/J Clin Neuroscience J Clin Neurosci;66:38-40. (2019)</p> <p>⑤ 2019年 上原財団海外助成金 ポストドクトラルフェローシップ</p>

脳神経外科学講座

氏名	所属	職名	取得学位	専門分野	主な論文・著作・業績
村上 寿孝	脳神経外科学講座	助教			<p>①Murakami T, Ogasawara K, Yoshioka Y, Ishigaki D, Sasaki M, Kudo K, Aso K, Nishimoto H, Kobayashi M, Yoshida K, Ogawa A. Brain temperature measured by using proton MR spectroscopy predicts cerebral hyperperfusion after carotid endarterectomy. Radiology. 2010 256(3): 924-931</p> <p>②Murakami T, Kashimura H, Endo H, Kuroda H, Ogasawara K. Chronological changes in brain blood flow and central benzodiazepine receptor binding potential in a patient with symptomatic epilepsy after surgery for aneurysmal subarachnoid hemorrhage: 123I-iomazenil single-photon emission computed tomography studies. Case Reports in Neurology. 2017 9(3): 222-227</p> <p>③Nanba T, Nishimoto H, Yoshioka Y, Murakami T, Sasaki M, Uwano I, Fujiwara S, Terasaki K, Ogasawara K. Apparent brain temperature imaging with multi-voxel proton magnetic resonance spectroscopy compared with cerebral blood flow and metabolism imaging on positron emission tomography in patients with unilateral chronic major cerebral artery steno-occlusive disease. Neuroradiology. 2017 59(9): 923-935</p> <p>④Kudo K, Liu T, Murakami T, Goodwin J, Uwano I, Yamashita F, Higuchi S, Wang Y, Ogasawara K, Ogawa A, Sasaki M. Oxygen extraction fraction measurement using quantitative susceptibility mapping: Comparison with positron emission tomography. Journal of Cerebral Blood Flow & Metabolism. 2016 36(8): 1424-1433</p> <p>⑤Ogasawara Y, Beppu T, Murakami T, Sasaki M, Ogasawara K. Basal ganglia germinoma presenting as a growing intratumoral hematoma in a 12-year-old boy. Child's Nervous System. 2016 32(4): 589-590</p>
佐浦 宏明	脳神経外科学講座	助教（任期付）	博士（医学）	脳神経外科学	<p>①Saura H, Ogasawara K, Beppu T, Yoshida K, Kobayashi M, Yoshida K, Terasaki K, Takai Y, Ogawa A: Hypoxic viable tissue in human chronic cerebral ischemia because of unilateral major cerebral artery steno-occlusive disease. Stroke. 2015;46:1250-1256.</p> <p>②Saura H, Ogasawara K, Suzuki T, Kuroda H, Yamashita T, Kobayashi M, Terasaki K, Ogawa A. Effect of combination therapy with the angiotensin receptor blocker losartan plus hydrochlorothiazide on brain perfusion in patients with both hypertension and cerebral hemodynamic impairment due to symptomatic chronic major cerebral artery steno-occlusive disease: a SPECT study. Cerebrovasc Dis. 2012;33:354-361.</p> <p>③Saura H, Kashimura H, Aso K, Matsumoto Y. Fenestrated T-bar clips in the surgical management of internal carotid artery aneurysms: technical note. World Neurosurg. 2018;117:1-3.</p> <p>④Saura H, Beppu T, Matsuura H, Asahi S, Uesugi N, Sasaki M, Ogasawara K. Intractable yawning associated with mature teratoma of the supramedial cerebellum: Case report. J Neurosurg. 2014;121:387-389.</p>